



DIGITAL SIGNAGE & Information Kiosk



Brief

Run a full audit to identify your specific needs



Plan

Collaborate with you to create a thorough plan of action



Design

Create a detailed and complex design scheme



Source

Identify the best technology solutions for your scheme



Install

Deliver and install to international technical standards



Manage

Pro-actively manage the entire process and maintenance service

END-TO-END MANAGED SERVICES



Certifications :



APPLICATIONS




Healthcare



Commercial



Education



Aviation



Corporate



Entertainment



Stations



Bank



Events

Product Features




High Dynamic Range (HDR)

Support HDR technology, which enhances the contrast, color, and brightness of images for a more lifelike and visually impressive picture quality.



Content Management

Interact displays are the digital signage monitors for both offline and cloud-based content.



OSD Orientation

The orientation of the display menu can be easily changed. This feature is important for portrait usage of our professional panel monitors.



Digital Signage




USB Autoplay

The ready to play USB with various media contents can be played as plugged in the USB slot without any need of setup requirements.



HDMI Wake Up

All our devices have HDMI Wakeup feature ready to turn on/off the display by simply plugging/unplugging the HDMI cable.



Wireless Display

you can mirror screen to the display using embedded wireless display capabilities without using any external devices or cables.

Information Kiosk

43"



55"



65"



High Dynamic Range (HDR)



Android 9



FHD/UHD 4K



Quad core CPU



Landscape/Portrait orientation



Wifi 5 (802.11 a/b/g/nac)



Wireless display



16 GB eMMC Storage



Enhanced Graphics



Brightness upto 4000-5500 nits

Product Specifications

Digital Signage



Also available - 65" 75" 86"

Panel	32"	43"	55"
Screen Size	32"	43"	55"
Backlight Type	DLED	Slim DLED	Slim DLED
Native Resolution	1920 x 1080 (16:9) - FHD	3840 x 2160 (16:9) - UHD	3840 x 2160 (16:9) - UHD
Dynamic Contrast Ratio	35000:1	50000:1	50000:1
Viewing Angle	178° Vert., 178° Hor.	178° Vert., 178° Hor.	178° Vert., 178° Hor.
Refresh Rate	60 Hz	60 Hz	60 Hz
Operation Hours	24/7	24/7	24/7
Panel Technology	VA	IPS	IPS
Brightness (typical)	450 cd/m ²	500 cd/m ²	500 cd/m ²
Contrast Ratio (typical)	3000:1 (typ.)	1200:1 (typ.)	1200:1 (typ.)
Panel Life Time (Min.)	50000 Hrs	50000 Hrs	50000 Hrs
Orientation	Landscape / Portrait	Landscape / Portrait	Landscape / Portrait

Built-in System	32"	43"	55"
Memory	2 GB DDR4	2 GB DDR4	2 GB DDR4
CPU	Quad-Core ARM Cortex-A55	Quad-Core ARM Cortex-A55	Quad-Core ARM Cortex-A55
Operating System	Android 9	Android 9	Android 9
Storage	16 GB eMMC	16 GB eMMC	16 GB eMMC
GPU	ARM Mali-G31 MP2	ARM Mali-G31 MP2	ARM Mali-G31 MP2
WiFi	WiFi 5 (802.11 a/b/g/n/ac)	WiFi 5 (802.11 a/b/g/n/ac)	WiFi 5 (802.11 a/b/g/n/ac)

Mechanical	32"	43"	55"
Video Input	"2xHDMI2.0, 1xUSB-A 3.0, 1xUSB-A	4xHDMI2.0, 1xUSB-A 3.0, 1xUSB-A	4xHDMI2.0, 1xUSB-A 3.0, 1xUSB-A
Video Output	1xHDMI2.0	1xHDMI2.0	1xHDMI2.0
Product Dimensions (WxDxH)	734 x 78 x 435 mm	963 x 63 x 555 mm	1236 x 63 x 709 mm
Product Weight	4.5 kg	10.4 kg	18.5 kg
Vesa Mounting	75 x 75 mm M4	200 (W) x 200 (H) mm M6	400 (W) x 400 (H) mm M6
Bezel Width	B:21, T/ L/R:14 mm	B: 9 mm, T/L/R: 6 mm	B: 11 mm, T/L/R: 9 mm
Operating Temperature	0-40°C	0-40°C	0-40°C
Operating Humidity	10-90%	10-90%	10-90%

Power	32"	43"	55"
Power Supply	170 VAC - 240 VAC - 50/60 Hz	110 VAC - 240 VAC - 50/60 Hz	110 VAC - 240 VAC - 50/60 Hz
Power Consumption	Maximum 65 W	Maximum 160 W	Maximum 180 W

Disclaimer- All product images shown and specifications / features mentioned in this brochure are for reference only, actual product and specifications may change without any prior notice due to consistent product development and upgradation.



THE LAST MAGAZINE

LASTEST COLLECTION.

NEW ARRIVALS
JUST FOR you
WWW.YOURSITE.COM

Fashion trends for spring, the latest news scoops, stylish travel destinations, the best accessories, how to style flared pants, who's hot in fashion, wear it sustainably

Interac by Geeken
Enabling Transformation

+91-1244422850
contact.interact@geeken.co.in
www.interactbygeeken.in
Plot No-161, Sector-5, IMT Manesar
Gurugram, Haryana - 122050

